

PERFORMANCE DECLARATION
NRP- 015/10.2016



- 1. Unique identification code of the product-type:**
"Nida Readymix Profesional"
- 2. Product identification:**
"Nida Readymix Profesional " (5 kg, 20 kg)
Manual application used for jointing with band of the gypsum plasterboards and for finishing
- 3. Intended use or uses of the construction product, in accordance with harmonized applicable technical specification, as provided by the producer:**
According to annex ZA1, SR EN 13963:2006
- 4. Name and contact address of the manufacturer, as required by law, Art. 11, paragraph 5:**

Head Office
ETEX BUILDING PERFORMANCE S.A.
Strada Drumul Leordeni 106, Sect 4, Bucuresti, Romania
Telefon: +4 021 334 97 75,
Fax: +4 021 334 97 77
www.siniat.com
Plant Aghires
Str. Fabricii, Nr.281, Aghiresu Fabrici, Cluj
Romania
Telefon: +4 0264 354180

- 5. If necessary, name and contact of the authorized person, of whose mandate covers the tasks specified in Article 12, paragraph 2:**
N/A.
- 6. System or systems of assessment and verification of constancy of performance of the construction product as foreseen in Annex V:**
System 4 for all requirements , according to annex ZA.2 of reference standard
- 7. Construction Product covered by harmonized standard:**
SR EN 13963:2006 „ Jointing materials for gypsum plasterboards”
- 8. In case of a construction product’s performance declaration for which was made an European technical evaluation:**
N/A.

**9. Declared performance:
"Nida Readymix Profesional"**

Essential characteristics	Performance	Harmonized test Standard
Drying time (hours)	8	SR EN 13963:2006, clause 5.2
Cracking	No cracking	SR EN 13963:2006, clause 5.3
Lumps particles [%] 200 µm 315 µm	<0.5 0	SR EN 13963:2006, clause, 5.4
Reaction to fire	Class A1	SR EN 13963:2006, clause 4.7
Adhesion/Cohesion [N/mm ²]	>0.26..C	SR EN 13963:2006

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance at point 9.

This declaration is issued under the sole responsibility of the manufacturer identified in point 4 based on Trial's report No. 234/09.05.2013.

The laboratory which made the trials: URBAN-INCERC, Cluj Napoca, Calea Floresti 117, 400524, Cluj.

CE marking is implemented since 2013

Signed for and behalf of the manufacturer:

Viorica DOMSA
Quality Manager



Zoltan AGOSTON
Plant Manager



Aghiresu-Fabrici, 31 October 2016